


VW VG VF



Manual Balancing Valves
Steel Venturi


*Engineering
GREAT Solutions*

VW VG VF

The AccuSetter uses a low-loss venturi to obtain a measurement accuracy of 3% F. S. The total pressure drop added to the pump head seldom exceeds one foot. The exact drop can be calculated using the formula on Form F199. Flow measurement can be obtained with a differential pressure meter reading across the venturi taps. The GPM can be calculated using the formula on Form F199. (See "Flow Measurement Test Kits," form F011 for the differential pressure meter kits).



Key features

- > **Low Loss Venturi**
Measure with 3% accuracy
- > **Flanged, Grooved and Weld Ends**

Technical description

Application:

Hydronic Balancing

Functions:

Flow Measurement

Accuracy:

±3%

Design:

Throat Signal - Piezo-ring
120° 3-Port Averaging

Flange:

Standard Flange Class 150, ANSI B16.5
(300 Class available)

Instrument Valves:

Ext. P/T ports are standard on Models VW,
VG and VF

Pressure class:

ANSI 150

Rating:

VW / VG: 400 psig at 250° F
VF: 240 psig at 250° F

Material:

Body: Carbon Steel ASTM A-120
Insert: Carbon Steel

Model Information

Model VW

Model VW AccuSetter includes weldend venturi with standard extended pressure/temperature ports.


Model VG

Model VG AccuSetter includes a grooved venturi with standard extended pressure/temperature ports.

Model VF


Model AW AccuSetter includes a weldend venturi with standard extended pressure/temperature ports.

Articles




Dimensions

Model	Size	Connections	A	B	C	Flow Cv		Weights lb.
						Low	High	
VW0200	2.0	Weld End	5.4	2.4	4.1	83	130	2.2
VW0250	2.5	Weld End	5.4	2.9	4.4	130	290	3.0
VW0300	3.0	Weld End	8.0	3.5	4.7	270	550	6.0
VW0400	4.0	Weld End	10.8	4.5	5.2	490	680	10.4
VW0500	5.0	Weld End	11.3	5.6	5.8	660	1300	Consult Factory
VW0600	6.0	Weld End	11.8	6.7	6.7	1200	2400	15.3
VW0800	8.0	Weld End	12.5	8.7	8.7	2100	4500	31.9
VW1000	10.0	Weld End	13.5	10.8	10.8	3100	6600	Consult Factory
VW1200	12.0	Weld End	15.3	12.8	12.8	5400	8100	Consult Factory
VW1400	14.0	Weld End	17.0	14.0	14.0	7400	9500	Consult Factory
VW1600	16.0	Weld End	17.5	16.0	16.0	8700	-	Consult Factory



Model	Size	Connections	A	B	C	Flow Cv		Weights lb.
						Low	High	
VG0200	2.0	Grooved End	8.4	2.4	4.1	83	130	3.3
VG0250	2.5	Grooved End	8.4	2.9	4.3	130	290	4.5
VG0300	3.0	Grooved End	8.0	3.5	4.6	270	550	5.5
VG0400	4.0	Grooved End	10.8	4.5	5.1	490	680	15.1
VG0500	5.0	Grooved End	11.3	5.6	5.7	660	1300	16.1
VG0600	6.0	Grooved End	11.8	6.7	6.2	1200	2400	19.8
VG0800	8.0	Grooved End	12.5	8.7	7.2	2100	4500	31.8
VG1000	10.0	Grooved End	13.5	10.8	8.3	3100	6600	49.6
VG1200	12.0	Grooved End	15.3	12.8	9.3	5400	8100	Consult Factory
VG1400	14.0	Grooved End	17.0	14.0	10.0	7400	9500	Consult Factory
VG1600	16.0	Grooved End	17.5	16.0	11.0	8700	-	Consult Factory

Articles



Dimensions

VF0200	2.0	Flanged End	6.4	6.0	4.1	83	130	11.7
VF0250	2.5	Flanged End	6.4	7.0	4.4	130	290	18.2
VF0300	3.0	Flanged End	9.0	7.5	4.7	270	550	23.7
VF0400	4.0	Flanged End	11.7	9.0	5.2	490	680	33.8
VF0500	5.0	Flanged End	12.3	10.0	5.8	660	1300	43.0
VF0600	6.0	Flanged End	12.8	11.0	6.3	1200	2400	60.0
VF0800	8.0	Flanged End	13.5	13.5	7.3	2100	4500	88.0
VF1000	10.0	Flanged End	14.5	16.0	8.3	3100	6600	121
VF1200	12.0	Flanged End	16.2	19.0	9.5	5400	8100	184
VF1400	14.0	Flanged End	18.0	21.0	10.5	7400	9500	Consult Factory
VF1600	16.0	Flanged End	18.5	23.5	11.7	8700	-	Consult Factory

Notes

(*) denotes L (low flow) or H (high flow).

The 2" - 16" products are available in low and high beta ratios. The 16" product is available in low beta only (see Flow Charts, Venturi Selection F193 and F199).

Venturi products made from fabricated materials may vary +1/16 inch per component.

All weights and dimensions given are subject to change.

Model Order Designation

Model Size

12" Low Beta Ratio VW Shown

Option w/ Locations

Metal ID Tag Shown

VW1200L - MI

L = Low Flange Range

H = High Flange Range

Options Available

C2 1/2" Accessory Port

C3 3/4" Accessory Port

C4 1/4" Accessory Port

PI Plastic ID Tag

MI Metal ID Tag

CPT Capillary Port/Tee